RAJIV GANDHI UNIVERSITY OF KNOWLEDGE TECHNOLOGIES- A.P. (Established through A.P. Government Act 18 of 2008) Ongole Campus, Ongole-523 225, Prakasam District. Website: rguktong.ac.in e-mail: ao@rguktong.ac.in

Ref No: RGUKT/ONG/Proc/ Printer cum Scanner/2021/27

26.10.2021

NOTICE INVITING QUOTATIONS

Rajiv Gandhi University of Knowledge Technologies Ongole Campus, Ongole invites sealed quotations from the registered firms/suppliers for Printer Cum Scanner for Rajiv Gandhi University of Knowledge Technologies, Ongole Campus, Ongole.

Last Date for Submission	:	01.11.2021
Item Description	:	As per Annexure – A
Address for Communication	n:	The Administrative Officer (i/c),
		RGUKT Ongole Campus, Kurnool Road,
		Near Santhanuthalapadu- 523 225
		Prakasam District, Andhra Pradesh

Terms & Conditions:

- 1. The bidder should be a registered firm.
- 2. The Bidder is required to have GST registration
- 3. The Bidder should not have been barred by any PSU/Govt. Dept. in doing business with them.
- 4. Bidders are requested to follow the given price bid format to quote the items. The rate for the item shall be quoted in INR. The offers should indicate unit price (Including GST).
- 5. The quotations must be addressed to "The Director, Rajiv Gandhi University of Knowledge Technologies, Ongole Campus, Kurnool road, Near Santhnuthalapadu-523225, Prakasam District, Andhra Pradesh.
- The sealed cover should be superscribed with above mentioned Ref. No. and must reach the office on or before the last date through Normal post/Speed-post/Registered Post/email.
- 7. Delivery should be within specified days mentioned in Purchase Order.
- 8. Unloading of items and delivery to the store place shall be responsibility of the firm.
- 9. The suppliers will undertake warranty of items from the date of supply and shall have to mention clearly the period of minimum 2 years of warranty in financial bid. The supplier further warrants that the items shall be free from defects.
- 10. Payment shall be made 100% after delivery of the items in good condition.
- 11. Rajiv Gandhi University of Knowledge Technologies A.P, Ongole Campus reserves the right to reject any/all quotation(s) without assigning any reasons whatsoever.

 Quotations received against our notification are considered as accepting the terms and conditions of Rajiv Gandhi University of Knowledge Technologies - A.P, Ongole Campus, Ongole.

Sd/-Administrative Officer (i/c)

Specification		Quantity
Printing Method	Monochrome Laser Beam Printing	
Print Speed (A4)	27 pages per minute	12
Print Resolution	600 x 600dpi	
Print Quality with Image Refinement Technology	1 200 x 1 200dpi (equivalent)	
Warm-Up Time (From Power On)	13.5s or less	
First Print Out Time (FPOT) A4	6.0s	
Recovery Time (From Sleep Mode)	2.0s or less	
Print Language	UFR II LT, PCL 6	
Auto Duplex Printing	Standard	
Available Paper Size for Auto Duplex Print	A4, Letter, Legal ^(*1) , Indian Legal, Foolscap	
Print Margin	5mm-top, bottom, left and right (Other sizes than Envelope) 10mm-top, bottom, left and right (Envelope)	
СОРҮ		
Copy Speed (A4)	27 pages per minute	
Copy Resolution	600 x 600dpi	
First Copy Time (FCOT) A4	9.0s	
Maximum Number of Copies	999 copies	

Annexure – A

Reduce / Enlargement	25 - 400% in 1% ind	crements	
Copy Features	Memory Sort, 2 on 1, 4 on 1, ID Card Copy		
SCAN			
Scan Type	Colour Contact Ima	ge Sensor	
Scan Resolution	Optical 600 x 600dpi		
	Driver Enhanced	9 600 x 9 600dpi	
Maximum Scan Size	Platen Glass	216 x 297mm	
Scan Speed ^(*2)	Platen Glass	3.0s per sheet (mono) 4.0s per sheet (colour)	
	ADF (A4)	20ipm / 15ipm (mono / colour)	
Colour Depth	24bit		
Pull Scan	Yes, USB and Netw	/ork	
Push Scan (Scan To PC) with MF Scan Utility	Yes, USB and Netw	vork	
Scan To Cloud	Yes, MF Scan Utility		
Scan Driver Compatibility	TWAIN, WIA, ICA		
PAPER HANDLIN	IG		
Auto Document Feeder (ADF)	35 sheets (80g/m ²)		
Available Paper Size for ADF	A4, B5, A5, B6, Letter, Legal (Minimum 105 x 148mm to Maximum 216 x 356mm)		
Paper Input	Standard Cassette	250 sheets	
	Multi-Purpose Tray 1 sheet		
Paper Output (Based on 68g/m ²)	100 sheets (face down)		
Paper Size	Standard Cassette	A4, B5, A5, Legal, Letter, Statement, Executive,	

Multi-Purpose Tray 60 to 163g/m² Paper Type Plain, Heavy, Recycled, Color, Bond, Label, Index Card, Envelope CONNECTIVITY & SOFTWARE Standard Interface Wired High-Speed USB 2.0 10 / 100 Base-T Ethernet Wireless Wi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)			1
Image: standard InterfaceKinimum (Minimum 76.2 x 210mm to Maximum 216 x 356mm)Multi-Purpose Tray A4, B5, A5, Legal, Letter, Statement, Executive, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 60 to 163g/m2Paper TypePlain, Heavy, Recy-Led, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)			Indian Legal
x 210mm to Maximum 216 x 356mm)Multi-Purpose Tray Katement, Executive, Government Letter, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 60 to 163g/m2Paper TypePlain, Heavy, Recy Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP (IPS, WSD- Print (IPv4, IPv6)Network InterfacePrintLPD, RAW, IPP (IPV4, IPv6)TCP / IPBonjour(mDNS),			
Maximum 216 x 356mm)Multi-Purpose Tray Statement, Executive, Government Letter, Government Letter, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray Abel, Index Card, EnvelopePaper TypePlain, Heavy, Recy-Led, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP (IPS, WSD- Print (IPv4, IPv6)Network InterfacePrintLPD, RAW, IPP (IPV4, IPv6)TCP / IPBonjour(mDNS),			
Image: standard InterfaceMulti-Purpose Tray Legal, Letter, Statement, Executive, Government Letter, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 60 to 163g/m2Paper TypePlain, Heavy, Recy-Led, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP (IPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			-
Multi-Purpose TrayA4, B5, A5, Legal, Letter, Statement, Executive, Government Letter, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 60 to 163g/m²Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP (IPV4, IPV6)FCP / IPBonjour(mDNS),			Maximum 216 x
Paper WeightStandard Cassette Multi-Purpose Tray & SOFTWARECustom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray (Minimum 76.2 x 127mm to Maximum 216 x 356mm)60 to 163g/m² (Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray (Multi-Purpose Tray (O to 163g/m²)60 to 163g/m² (Consection)Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeColor, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetStandard InterfaceWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP (IPV6)Network InterfacePrintLPD, RAW, IPP (IPV6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			356mm)
Statement, Executive, Government Letter, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 0 to 163g/m2Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREViredStandard InterfaceWiredWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetStandard InterfaceWirelessWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),		Multi-Purpose Tray	A4, B5, A5,
Executive, Government Letter, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 60 to 163g/m2Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWirelessHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			Legal, Letter,
Government Letter, Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 60 to 163g/m2Paper TypePlain, Heavy, Recyctor Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREStandard Cassette 60 to 163g/m2Standard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP (IPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			Statement,
Letter, Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 60 to 163g/m²Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP /IPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			Executive,
Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette60 to 163g/m² Multi-Purpose Tray 60 to 163g/m²Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetStandard InterfaceWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			Government
Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette60 to 163g/m² Multi-Purpose Tray 60 to 163g/m²Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREStandard InterfaceStandard InterfaceWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			Letter,
Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 60 to 163g/m2Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			
Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 60 to 163g/m2Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREViredStandard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			
Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette60 to 163g/m²Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREStandard InterfaceWiredWirelessHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			
x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette60 to 163g/m²Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREViredStandard InterfaceWiredWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			
Maximum 216 x 356mm)Paper WeightStandard Cassette60 to 163g/m²Multi-Purpose Tray60 to 163g/m²Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			`
Paper WeightStandard Cassette60 to 163g/m²Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetStandard InterfaceWiredWirelessWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			
Paper WeightStandard Cassette60 to 163g/m²Multi-Purpose Tray60 to 163g/m²Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREStandard InterfaceWiredWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			
Multi-Purpose Tray 60 to 163g/m² Paper Type Plain, Heavy, Recycled, Color, Bond, Label, Index Card, Envelope CONNECTIVITY SOFTWARE Standard Interface Wired Wireless 2.0 10 / 100 Base-T Ethernet Wireless Wi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection) Network Interface Print LPD, RAW, IPP / IPv6) Scan WSD-Scan (IPv4, IPv6) TCP / IP Bonjour(mDNS),			· · · · · · · · · · · · · · · · · · ·
Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),	Paper Weight		
Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREStandard InterfaceWiredWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),		Multi-Purpose Tray	$60 \text{ to } 163 \text{g/m}^2$
CONNECTIVITY & SOFTWARE Wired High-Speed USB 2.0 10 / 100 Base-T Ethernet Standard Interface Wired Wireless Wi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection) Network Interface Print LPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6) Scan WSD-Scan (IPv4, IPv6) TCP / IP Bonjour(mDNS),	Paper Type		
& SOFTWARE Standard Interface Wired High-Speed USB 2.0 10 / 100 Base-T Ethernet Wireless Wi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection) Network Interface Print Print LPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6) Scan WSD-Scan (IPv4, IPv6) TCP / IP Bonjour(mDNS),		Label, Index Card, H	Envelope
Standard InterfaceWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),	CONNECTIVITY		
2.010 / 100 Base-T EthernetWirelessWirelessWi-Fi 802.11b/g/n (Infrastructure 	& SOFTWARE		
10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),	Standard Interface	Wired	High-Speed USB
EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			2.0
WirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			10 / 100 Base-T
802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			Ethernet
(Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),		Wireless	Wi-Fi
Mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			802.11b/g/n
Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			(Infrastructure
Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS),			mode, WPS Easy
Network Interface Print LPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6) Scan WSD-Scan (IPv4, IPv6) TCP / IP Bonjour(mDNS),			
/ IPPS, WSD- Print (IPv4, IPv6) Scan WSD-Scan (IPv4, IPv6) TCP / IP Bonjour(mDNS),			Connection)
Print (IPv4, IPv6) Scan WSD-Scan (IPv4, IPv6) TCP / IP Bonjour(mDNS),	Network Interface	Print	LPD, RAW, IPP
IPv6) Scan WSD-Scan (IPv4, IPv6) TCP / IP Bonjour(mDNS),			/ IPPS, WSD-
Scan WSD-Scan (IPv4, IPv6) TCP / IP Bonjour(mDNS),			
(IPv4, IPv6) TCP / IP Bonjour(mDNS),			Print (IPv4,
TCP / IP Bonjour(mDNS),			
3 ())		Scan	IPv6)
Application DHCP, BOOTP,		Scan	IPv6) WSD-Scan
			IPv6) WSD-Scan (IPv4, IPv6)
Services: RARP, Auto IP		TCP / IP	IPv6) WSD-Scan (IPv4, IPv6) Bonjour(mDNS),

		(IPv4), DHCPv6 (IPv6)	
	Management	SNMPv1/v3 (IPv4, IPv6), HTTP / HTTPS, SNTP	
Network security	Wired	IP / Mac address filtering, SNMPv3, SSL (HTTPS / IPPS), IEEE802.1x	
	Wireless	WEP 64 / 128bit, WPA-PSK (TKIP / AES), WPA2-PSK (AES)	
Mobile Printing Capability	Canon PRINT Busi Service, Apple AirF Print Service		
Operating Systems	Microsoft® Window 64bit), Windows® 8 Windows® 8 (32 / 6 7 (32 / 64bit), Windo 64bit), Windows® (64bit), Windows® (64bit), Windows® (64bit), Windows® (64bit), Windows® (32 / 64bit), Windows (32 / 64bit), Mac Of Linux ^(*3)	8.1 (32 / 64bit), 64bit), Windows® lows Vista® (32 / Server 2012 R2 Server 2012 Server 2008 R2 Server 2008 (32 / Server 2003 R2 ws® Server 2003 S X ^(*4) 10.6.8~,	
	Printer driver, Scan Scan Utility, SSID		
GENERAL			
Device Memory	512Mb		
Operational Panel	6.9cm BW LCD		
Dimensions (W x D x H)	390 x 371 x 360mm (Cassette closed) 390 x 441 x 360mm (Cassette opened)		
Weight	12.1kg (without car 12.7kg (with cartrid	e /	
Power	Maximum	1 150W or less	
Consumption	During Operation (Average)	490W	

	During Standby	4.1W
	(Average)	
	During Sleep	1.3W (USB
	(Average)	connection)
		1.4W (Wired
		LAN
		connection)
		2.1W (Wireless
		LAN
		connection)
Noise level ^(*4)	During Operation	Sound Pressure
	01	Level: 52.0dB
		Sound Power
		Level: 6.6dB
	During Standby	Sound Pressure
	During Standby	Level:
		Inaudible ^(*5)
		Sound Power
		Level: 43dB
Operating	Temperature: 10 - 3	
Environment	Humidity: 20 - 80%	6 RH (no
	condensation)	
Power Requirement		0%), 50 / 60Hz
	(±2Hz)	
Consumables ^(*6)	Toner (Standard)	Cartridge 337: 2
		400 pages
		(bundled: 1 700
		pages)
Monthly Duty	15 000 pages	
Cycle ^(*7)	1.0	
2		

Price bid format (should be printed in letter head)

Reference:

Date:

Valid till:

To The Director

Rajiv Gandhi University of Knowledge Technologies,

Ongole Campus, Ongole, Prakasam district, Andhra Pradesh.

I/we here by submitting estimate for supplying of the item listed below

S. No	Item name	А	В	C = A X B	D	E = C + D
		Unit Price	Qty	Total	Tax	Item Cost
		(Rs)	(No's)	(Rs)	(Rs)	(Rs)
Subtotal (Rs)						
Transport Charges (Rs)						
Total Amount (Rs)						

I/ We shall be bound by a communication of acceptance/rejection by Rajiv Gandhi University of Knowledge Technologies - A.P, Ongole Campus.

I/ We have understood and agree the terms and conditions mentioned in the notice inviting quotations.

Name:

Contact No:

Signature:

(Office Seal)