RAJIV GANDHI UNIVERSITY OF KNOWLEDGE TECHNOLOGIES- A.P. (Established through A.P. Government Act 18 of 2008) Ongole Campus, Ongole-523 225, Prakasam District. Website: rguktong.ac.in e-mail: ao@rguktong.ac.in

Ref No: RGUKT/ONG/Proc/ Printer cum Scanner/2021/27/Second Call29.11.2021

NOTICE INVITING QUOTATIONS

Rajiv Gandhi University of Knowledge Technologies Ongole Campus, Ongole invites sealed quotations from the registered firms/suppliers for Printer Cum Scanner for Rajiv Gandhi University of Knowledge Technologies, Ongole Campus, Ongole.

| Last Date for Submission | : | 06.12.2021 |
|---------------------------|----|------------------------------------|
| Item Description | : | As per Annexure – A |
| Address for Communication | n: | The Administrative Officer (i/c), |
| | | RGUKT Ongole Campus, Kurnool Road, |
| | | Near Santhanuthalapadu- 523 225 |
| | | Prakasam District, Andhra Pradesh |

Terms & Conditions:

- 1. The bidder should be a registered firm.
- 2. The Bidder is required to have GST registration
- 3. The Bidder should not have been barred by any PSU/Govt. Dept. in doing business with them.
- 4. Bidders are requested to follow the given price bid format to quote the items. The rate for the item shall be quoted in INR. The offers should indicate unit price (Including GST).
- 5. The quotations must be addressed to **"The Director, Rajiv Gandhi University of Knowledge Technologies, Ongole Campus, Kurnool road, Near Santhnuthalapadu-523225, Prakasam District, Andhra Pradesh.**
- The sealed cover should be superscribed with above mentioned Ref. No. and must reach the office on or before the last date through Normal post/Speed-post/Registered Post/email.
- 7. Delivery should be within specified days mentioned in Purchase Order.
- 8. Unloading of items and delivery to the store place shall be responsibility of the firm.
- 9. The suppliers will undertake warranty of items from the date of supply and shall have to mention clearly the period of minimum 2 years of warranty in financial bid. The supplier further warrants that the items shall be free from defects.
- 10. Payment shall be made 100% after delivery of the items in good condition.
- 11. Rajiv Gandhi University of Knowledge Technologies A.P, Ongole Campus reserves the right to reject any/all quotation(s) without assigning any reasons whatsoever.

 Quotations received against our notification are considered as accepting the terms and conditions of Rajiv Gandhi University of Knowledge Technologies - A.P, Ongole Campus, Ongole.

Sd/-Administrative Officer (i/c)

| Specification | | Quantity |
|--|--|----------|
| Printing Method | Monochrome Laser Beam Printing | |
| Print Speed (A4) | 27 pages per minute | 12 |
| Print Resolution | 600 x 600dpi | - |
| Print Quality with Image Refinement Technology | 1 200 x 1 200dpi (equivalent) | |
| Warm-Up Time (From Power On) | 13.5s or less | |
| First Print Out Time (FPOT) A4 | 6.0s | |
| Recovery Time (From Sleep Mode) | 2.0s or less | |
| Print Language | UFR II LT, PCL 6 | |
| Auto Duplex Printing | Standard | |
| Available Paper Size for Auto Duplex Print | A4, Letter, Legal ^(*1) , Indian Legal, Foolscap | |
| Print Margin | 5mm-top, bottom, left and right (Other sizes than Envelope) 10mm-top, bottom, left and right (Envelope) | |
| СОРҮ | | - |
| Copy Speed (A4) | 27 pages per minute |] |
| Copy Resolution | 600 x 600dpi |] |
| First Copy Time (FCOT) A4 | 9.0s | |
| Maximum Number of Copies | 999 copies | |

Annexure – A

| Reduce / Enlargement | 25 - 400% in 1% ind | crements | |
|---|--|---|--|
| Copy Features | Memory Sort, 2 on 1, 4 on 1, ID Card Copy | | |
| SCAN | | | |
| Scan Type | Colour Contact Ima | ge Sensor | |
| Scan Resolution | Optical 600 x 600dpi | | |
| | Driver Enhanced | 9 600 x 9 600dpi | |
| Maximum Scan Size | Platen Glass | 216 x 297mm | |
| Scan Speed ^(*2) | Platen Glass | 3.0s per sheet (mono) 4.0s per sheet (colour) | |
| | ADF (A4) | 20ipm / 15ipm (mono / colour) | |
| Colour Depth | 24bit | | |
| Pull Scan | Yes, USB and Netw | /ork | |
| Push Scan (Scan To PC) with MF Scan Utility | Yes, USB and Netw | vork | |
| Scan To Cloud | Yes, MF Scan Utility | | |
| Scan Driver Compatibility | TWAIN, WIA, ICA | | |
| PAPER HANDLIN | ١G | | |
| Auto Document Feeder (ADF) | 35 sheets (80g/m ²) | | |
| Available Paper Size for ADF | A4, B5, A5, B6, Letter, Legal (Minimum 105 x 148mm to Maximum 216 x 356mm) | | |
| Paper Input | Standard Cassette | 250 sheets | |
| | Multi-Purpose Tray | 1 sheet | |
| Paper Output (Based on 68g/m ²) | 100 sheets (face down) | | |
| Paper Size | Standard Cassette | A4, B5, A5, Legal, Letter, Statement, Executive, | |

| Multi-Purpose Tray 60 to 163g/m² Paper Type Plain, Heavy, Recycled, Color, Bond, Label, Index Card, Envelope CONNECTIVITY & SOFTWARE Standard Interface Wired High-Speed USB 2.0 10 / 100 Base-T Ethernet Wireless Wi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection) | | | 1 |
|---|--------------------|----------------------|---|
| Image: standard InterfaceKinimum (Minimum 76.2 x 210mm to Maximum 216 x 356mm)Multi-Purpose Tray A4, B5, A5, Legal, Letter, Statement, Executive, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 60 to 163g/m2Paper TypePlain, Heavy, Recy-Led, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6) | | | Indian Legal |
| x 210mm to Maximum 216 x 356mm)Multi-Purpose Tray Katement, Executive, Government Letter, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 60 to 163g/m2Paper TypePlain, Heavy, Recy Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP (IPS, WSD- Print (IPv4, IPv6)Network InterfacePrintLPD, RAW, IPP (IPV4, IPv6)TCP / IPBonjour(mDNS), | | | |
| Maximum 216 x 356mm)Multi-Purpose Tray Statement, Executive, Government Letter, Government Letter, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray Abel, Index Card, EnvelopePaper TypePlain, Heavy, Recy-Led, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP (IPS, WSD- Print (IPv4, IPv6)Network InterfacePrintLPD, RAW, IPP (IPV4, IPv6)TCP / IPBonjour(mDNS), | | | |
| Image: standard InterfaceMulti-Purpose Tray Legal, Letter, Statement, Executive, Government Letter, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 60 to 163g/m2Paper TypePlain, Heavy, Recy-Led, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP (IPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | - |
| Multi-Purpose TrayA4, B5, A5, Legal, Letter, Statement, Executive, Government Letter, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 60 to 163g/m²Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP (IPV4, IPV6)FCP / IPBonjour(mDNS), | | | Maximum 216 x |
| Paper WeightStandard Cassette Multi-Purpose Tray & SOFTWARECustom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray (Minimum 76.2 x 127mm to Maximum 216 x 356mm)60 to 163g/m² (Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray (Multi-Purpose Tray (O to 163g/m²)60 to 163g/m² (Consection)Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeColor, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetStandard InterfaceWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP (IPV6)Network InterfacePrintLPD, RAW, IPP (IPV6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | 356mm) |
| Statement, Executive, Government Letter, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 0 to 163g/m2Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREViredStandard InterfaceWiredWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetStandard InterfaceWirelessWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | Multi-Purpose Tray | A4, B5, A5, |
| Executive, Government Letter, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 60 to 163g/m2Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWirelessHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | Legal, Letter, |
| Government Letter, Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 60 to 163g/m2Paper TypePlain, Heavy, Recyctor Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREStandard Cassette 60 to 163g/m2Standard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP (IPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | Statement, |
| Letter, Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 60 to 163g/m²Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP /IPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | Executive, |
| Government Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette60 to 163g/m² Multi-Purpose Tray 60 to 163g/m²Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetStandard InterfaceWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | Government |
| Legal, Foolscap, Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette60 to 163g/m² Multi-Purpose Tray 60 to 163g/m²Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREStandard InterfaceStandard InterfaceWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | Letter, |
| Indian Legal Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 60 to 163g/m2Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | |
| Custom (Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette Multi-Purpose Tray 60 to 163g/m2Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREViredStandard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | |
| Minimum 76.2 x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette60 to 163g/m²Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREStandard InterfaceWiredWirelessHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | |
| x 127mm to Maximum 216 x 356mm)Paper WeightStandard Cassette60 to 163g/m²Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREViredStandard InterfaceWiredWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | |
| Maximum 216 x 356mm)Paper WeightStandard Cassette60 to 163g/m²Multi-Purpose Tray60 to 163g/m²Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | ` |
| Paper WeightStandard Cassette60 to 163g/m²Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetStandard InterfaceWiredWirelessWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | |
| Paper WeightStandard Cassette60 to 163g/m²Multi-Purpose Tray60 to 163g/m²Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREStandard InterfaceWiredWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | |
| Multi-Purpose Tray 60 to 163g/m² Paper Type Plain, Heavy, Recycled, Color, Bond, Label, Index Card, Envelope CONNECTIVITY SOFTWARE Standard Interface Wired Wireless 2.0 10 / 100 Base-T Ethernet Wireless Wi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection) Network Interface Print LPD, RAW, IPP / IPv6) Scan WSD-Scan (IPv4, IPv6) TCP / IP Bonjour(mDNS), | | | · · · · · · · · · · · · · · · · · · · |
| Paper TypePlain, Heavy, Recycled, Color, Bond, Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREWiredStandard InterfaceWiredWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | Paper Weight | | |
| Label, Index Card, EnvelopeCONNECTIVITY & SOFTWAREStandard InterfaceWiredWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | Multi-Purpose Tray | $60 \text{ to } 163 \text{g/m}^2$ |
| CONNECTIVITY & SOFTWARE Wired High-Speed USB 2.0 10 / 100 Base-T Ethernet Standard Interface Wired Wireless Wi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection) Network Interface Print LPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6) Scan WSD-Scan (IPv4, IPv6) TCP / IP Bonjour(mDNS), | Paper Type | | |
| & SOFTWARE Standard Interface Wired High-Speed USB 2.0 10 / 100 Base-T Ethernet Wireless Wi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection) Network Interface Print Print LPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6) Scan WSD-Scan (IPv4, IPv6) TCP / IP Bonjour(mDNS), | | Label, Index Card, H | Envelope |
| Standard InterfaceWiredHigh-Speed USB 2.0 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | CONNECTIVITY | | |
| 2.010 / 100 Base-T EthernetWirelessWirelessWi-Fi 802.11b/g/n (Infrastructure | & SOFTWARE | | |
| 10 / 100 Base-T EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | Standard Interface | Wired | High-Speed USB |
| EthernetWirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | 2.0 |
| WirelessWi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | 10 / 100 Base-T |
| 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | Ethernet |
| (Infrastructure mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | Wireless | Wi-Fi |
| Mode, WPS Easy Setup, Direct Connection)Network InterfacePrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | 802.11b/g/n |
| Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | (Infrastructure |
| Setup, Direct Connection)Network InterfacePrintPrintLPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6)ScanWSD-Scan (IPv4, IPv6)TCP / IPBonjour(mDNS), | | | mode, WPS Easy |
| Network Interface Print LPD, RAW, IPP / IPPS, WSD- Print (IPv4, IPv6) Scan WSD-Scan (IPv4, IPv6) TCP / IP Bonjour(mDNS), | | | |
| / IPPS, WSD- Print (IPv4, IPv6) Scan WSD-Scan (IPv4, IPv6) TCP / IP Bonjour(mDNS), | | | Connection) |
| Print (IPv4, IPv6) Scan WSD-Scan (IPv4, IPv6) TCP / IP Bonjour(mDNS), | Network Interface | Print | LPD, RAW, IPP |
| IPv6) Scan WSD-Scan (IPv4, IPv6) TCP / IP Bonjour(mDNS), | | | / IPPS, WSD- |
| Scan WSD-Scan (IPv4, IPv6) TCP / IP Bonjour(mDNS), | | | |
| (IPv4, IPv6) TCP / IP Bonjour(mDNS), | | | Print (IPv4, |
| TCP / IP Bonjour(mDNS), | | | |
| 3 ()) | | Scan | IPv6) |
| Application DHCP, BOOTP, | | Scan | IPv6) WSD-Scan |
| | | | IPv6) WSD-Scan (IPv4, IPv6) |
| Services: RARP, Auto IP | | TCP / IP | IPv6) WSD-Scan (IPv4, IPv6) Bonjour(mDNS), |

| | | (IPv4), DHCPv6 (IPv6) | |
|-------------------------------|--|---|--|
| | Management | SNMPv1/v3 (IPv4, IPv6), HTTP / HTTPS, SNTP | |
| Network security | Wired | IP / Mac address filtering, SNMPv3, SSL (HTTPS / IPPS), IEEE802.1x | |
| | Wireless | WEP 64 / 128bit, WPA-PSK (TKIP / AES), WPA2-PSK (AES) | |
| Mobile Printing Capability | Canon PRINT Busi Service, Apple AirF Print Service | | |
| Operating Systems | Microsoft® Window 64bit), Windows® 8 Windows® 8 (32 / 6 7 (32 / 64bit), Windo 64bit), Windows® (64bit), Windows® (64bit), Windows® (64bit), Windows® (64bit), Windows® (32 / 64bit), Windows (32 / 64bit), Mac Of Linux ^(*3) | 8.1 (32 / 64bit), 64bit), Windows® lows Vista® (32 / Server 2012 R2 Server 2012 Server 2008 R2 Server 2008 (32 / Server 2003 R2 ws® Server 2003 S X ^(*4) 10.6.8~, | |
| | Printer driver, Scan Scan Utility, SSID | | |
| GENERAL | | | |
| Device Memory | 512Mb | | |
| Operational Panel | 6.9cm BW LCD | | |
| Dimensions (W x D x H) | 390 x 371 x 360mm (Cassette closed) 390 x 441 x 360mm (Cassette opened) | | |
| Weight | 12.1kg (without car 12.7kg (with cartrid | e / | |
| Power | Maximum | 1 150W or less | |
| Consumption | During Operation (Average) | 490W | |

| | During Standby | 4.1W |
|-----------------------------|---------------------|---------------------------|
| | (Average) | |
| | During Sleep | 1.3W (USB |
| | (Average) | connection) |
| | | 1.4W (Wired |
| | | LAN |
| | | connection) |
| | | 2.1W (Wireless |
| | | LAN |
| | | connection) |
| Noise level ^(*4) | During Operation | Sound Pressure |
| | 01 | Level: 52.0dB |
| | | Sound Power |
| | | Level: 6.6dB |
| | During Standby | Sound Pressure |
| | During Standby | Level: |
| | | Inaudible ^(*5) |
| | | Sound Power |
| | | Level: 43dB |
| | | |
| Operating | Temperature: 10 - 3 | |
| Environment | Humidity: 20 - 80% | 6 RH (no |
| | condensation) | |
| Power Requirement | | 0%), 50 / 60Hz |
| | (±2Hz) | |
| Consumables ^(*6) | Toner (Standard) | Cartridge 337: 2 |
| | | 400 pages |
| | | (bundled: 1 700 |
| | | pages) |
| Monthly Duty | 15 000 pages | |
| Cycle ^(*7) | 1.0 | |
| 2 | | |

Price bid format (should be printed in letter head)

Reference:

Date:

Valid till:

To The Director

Rajiv Gandhi University of Knowledge Technologies,

Ongole Campus, Ongole, Prakasam district, Andhra Pradesh.

I/we here by submitting estimate for supplying of the item listed below

| S. No | Item name | А | В | C = A X B | D | E = C + D | |
|-------------------|------------------------|------------|--------|-----------|------|-----------|--|
| | | Unit Price | Qty | Total | Tax | Item Cost | |
| | | (Rs) | (No's) | (Rs) | (Rs) | (Rs) | |
| | | | | | | | |
| Subtotal (Rs) | | | | | | | |
| | Transport Charges (Rs) | | | | | | |
| Total Amount (Rs) | | | | | | | |

I/ We shall be bound by a communication of acceptance/rejection by Rajiv Gandhi University of Knowledge Technologies - A.P, Ongole Campus.

I/ We have understood and agree the terms and conditions mentioned in the notice inviting quotations.

Name:

Contact No:

Signature:

(Office Seal)